

PN16 "Lugged" Butterfly Valve

Lever & Gear Operated

Application

Potable water service Butterfly Valves with Watermark certification, for on and off and flow control service.

Suitable applications would include building services, water and wastewater, general industry, and irrigation water supply.

Features:

- 1. Quality robust construction.
- 2. Excellent sealing due to unique disk and seat contour.
- 3. Single piece 316SS shaft eliminating potential pin and bolt leakages

Technical Parameters:

Nominal Diameter: DN50~DN150 Lever operate

DN50 \sim DN300 Gear operate

Nominal Pressure: PN16

Working Medium: Potable Water

Connection Type: Lugged

Connection Standard: AS2129 Table E + Table D as options

Design Standard: ATS 5200.012-2005

Test Standard: ISO 5208-2008


Main Materials:

| | 1 | | 1 | |
|-----------|----------------------------|--------------------|--------------------|------|
| Part Name | Body | Disc | Stem | Seat |
| Material | Ductile Iron ASTM A-536 | CF8M ASTM A-743 | 316SS ASTM A276 | EPDM |



Certification: WaterMarked WMK 26060

Dimensions:





| Size DN | Contour dimension (mm) | | | | | | dimension (mn AS2129 Table E | • | Flange dimension (mm) Meet AS2129 Table D | | | |
|------------|------------------------|-------|-------|----|-------|-----|--|-------|--|--------|-------|--|
| | H1 | H2 | φD | R | L1 | фD1 | n×M | a | фD1 | n×M | a | |
| 50 | 68 | 142.7 | 92 | 15 | 43 | 114 | 4×M16 | 45° | 114 | 4×M16 | 45° | |
| 65 | 77 | 155.4 | 105 | 17 | 46 | 127 | 4×M16 | 45° | 127 | 4×M16 | 45° | |
| 80 | 89 | 161.8 | 120 | 17 | 45.21 | 146 | 4×M16 | 45° | 146 | 4×M16 | 45° | |
| 100 | 103 | 177 | 153 | 18 | 52.07 | 178 | 8×M16 | 22.5° | 178 | 4×M16 | 45° | |
| 125 | 127 | 189.5 | 181 | 20 | 55.5 | 210 | 8×M16 | 22.5° | 210 | 8×M16 | 22.5° | |
| 150 | 139 | 204.2 | 208 | 21 | 55.75 | 235 | 8×M20 | 22.5° | 235 | 8×M16 | 22.5° | |
| 200 | 165 | 236 | 260 | 20 | 60.58 | 292 | 8×M20 | 22.5° | 292 | 8×M16 | 22.5° | |
| 250 | 203 | 266.3 | 320 | 25 | 68 | 356 | 12×M20 | 15° | 356 | 8×M20 | 15° | |
| 300 | 231 | 306.5 | 370.2 | 25 | 76.9 | 406 | 12×M24 | 15° | 406 | 12×M20 | 15° | |

| Size – | Top Flange dimension (mm) | | | | | | | Lever Operated | | Gear Operated | | |
|--------|---------------------------|----|-----|---------------|-----|-----|-------|----------------|-------|---------------|-----|-----|
| | H4 | H5 | □С | Meet ISO 5211 | | | | Blue | | Blue | | |
| | | | | Туре | фD6 | фD4 | n×d | Н3 | L | Н3 | φЕ | L |
| 50 | 30 | 13 | □9 | F07 | 92 | 70 | 4×φ10 | 32 | 266.7 | 66 | 150 | 160 |
| 65 | 30 | 13 | □9 | F07 | 92 | 70 | 4×φ10 | 32 | 266.7 | 66 | 150 | 160 |
| 80 | 30 | 13 | □9 | F07 | 92 | 70 | 4×φ10 | 32 | 266.7 | 66 | 150 | 160 |
| 100 | 30 | 14 | □11 | F07 | 92 | 70 | 4×φ10 | 32 | 266.7 | 66 | 150 | 160 |
| 125 | 30 | 14 | □14 | F07 | 92 | 70 | 4×φ10 | 32 | 266.7 | 66 | 150 | 160 |
| 150 | 30 | 14 | □14 | F07 | 92 | 70 | 4×φ10 | 32 | 266.7 | 66 | 150 | 160 |
| 200 | 33 | 14 | □17 | F10 | 125 | 102 | 4×φ12 | / | / | 82 | 298 | 240 |
| 250 | 33 | 14 | □22 | F10 | 125 | 102 | 4×φ12 | / | / | 82 | 298 | 240 |
| 300 | 33 | 20 | □22 | F10 | 140 | 102 | 4×φ12 | / | / | 84 | 298 | 225 |

Installation Instructions:

- (1) To ensure that the product meets the requirements of the application, compare to confirm that both the application and product specifications are compatible.
- (2) Installation personnel should be of a suitably trained and experienced level.
- (3) At the end of the installation, check thoroughly that it is installed correctly.
- (4) To ensure a safe installation, thoroughly clean the pipe system before product installation (please use chemical reagent if it is necessary). Ensure that the pipeline system is clean, with no corrosion, dirt or cleaning fluids remaining. It is necessary to remove all the filters in the pipeline before washing.
- (5) Advice is to install temporary pipeline at the place of equipment installation pipeline, then install the equipment into the pipeline after finishing the wash/cleaning work.
- (6) Note that the devices must not be used in the applications where the medium is containing a higher viscosity such as oil, mineral oil or is of corrosive medium.